



Excellence is not born from complacency. It is the fruit of hard work and determination. It is nurtured by breakthrough thinking and emboldened by an unwavering commitment to continual improvement. Within the walls of our new, state-of-the-art 200,000-square-foot manufacturing facility in Bainbridge, GA, Taurus USA has amassed the technology, the expertise and the passion to offer world-class innovation at a truly unprecedented price point.

But you'll find no room for complacency here. As consumer demand for firearms reached unprecedented levels in 2020, we resoundingly answered the call by increasing our U.S. based manufacturing capacity to meet our customers' ongoing needs. We also significantly improved our Customer Service and Warranty Repair processes—resulting in the shortest warranty turnaround time in our long-standing history.

In addition, we introduced a number of new and innovative firearms focused on the unique, real-world demands our valued end users. The launch of the striker-fired Taurus® G3 and Taurus® G3c, for example, offered consumers budget-friendly access to next-level function, reliability and durability in either a full-size or compact personal defense handgun. Several other new products were unveiled in 2020 that gave our consumers more feature-based, benefit-driven options such as the versatile Taurus® 942 8-shot 22LR/22WMR revolver and the ultra-rugged Taurus® 856 Defender 38 Special +P revolver with 3" barrel and front night sight.

From groundbreaking product design and engineering to enhanced quality control to a stringent focus on customer satisfaction, we continue to deliver unmatched value as the industry's undisputed price leader. In fact, no other firearm manufacturer offers such an advanced level of new product innovation with intuitive, user-demanded features and functionality built right in at such a competitive cost. Our product engineers, designers and quality control experts work together seamlessly to ensure excellence is integrated into everything we do as we continually bring to market the most innovative and most affordable firearms ever conceived.

As we enter 2021, we anticipate the strong demand within our industry to continue—and we have securely positioned ourselves to deliver affordable, feature-driven firearms backed by our Lifetime Limited Warranty and unparalleled customer service. We are excited to launch several new additions to the Taurus® line throughout 2021 that will not only address key product categories and price points, but are sure to set new standards in overall firearm design, quality and value.

Welcome to the new Taurus? We look forward to taking this next step in our journey with you.

Bret Vorhees | Taurus USA President and CEO





2021 TAURUS CATALOG CONTENTS

Taurus® Pistols	6
All-new Taurus GX4™	8
TaurusTX [™] 22 Competition	12
TaurusTX™ 22	14
All-new G3 TORO	16
Taurus® G3c	18
Taurus® G3	20
Taurus® TH Series	22
Taurus® G2c	24
Taurus® G2s	26
Team Taurus®	28
Taurus 1911™	30
Taurus® 92	34
Taurus [®] 22 Poly	35
Taurus [®] Revolvers	36

Taurus® 942	38
Raging Hunter™	40
Raging Hunter™ 460	42
Taurus® 856 Series	44
Taurus® 380	50
Taurus® 905	51
Taurus® 605	52
Taurus® 608	53
Taurus® 44	54
Taurus® 82	55
Taurus® 65	56
Taurus® 66	57
Taurus Tracker® Series	58
Taurus Judge® Series	62
Specs	66
Partners	79









A LEVEL OF DISTINCTION ALL ITS OWN.

With the introduction of our first-ever micro-compact 9mm, the all-new **Taurus GX4™** boldly outclasses anything else in its class—reaching unprecedented new heights in concealed carry firearm engineering, ergonomics and innovation. On the outside, there can be no doubt that every streamlined inch of this rugged striker-fired semi-auto was meticulously crafted for EDC readiness and reliability. While a game-altering combination of full-sized capacity, accuracy and power resides within its ultra-concealable one-inch-wide reinforced frame. The exceptionally affordable **Taurus GX4™** is backed by our Limited Lifetime Warranty and industry leading customer service for added peace of mind when it matters the most.



TAURIUS CEN

0

DLC-COATED BARREL

SIGNATURE INDEXING & RECOIL MANAGEMENT PAD (RMP)

TWO BACKSTRAP OPTIONS

EASY TAKE DOWN PIN

FLAT FACE TARGET TRIGGER & TRIGGER SAFETY BLADE TEFLON-COATED OPERATIONAL CONTROL PARTS CUT IN MAGAZINE AND GRIP

Ta

- 10

STEEL RECOIL ROD

TAURUS

PREPARE + PROTECT

TaurusGX4.com

Caliber:9mm LugerCapacity:11Magazines:2x11Firing System:StrikerFrame:MicrocompactGrip:PolymerSlide:Alloy SteelBarrel Finish:Satin Black DLC CoatingSlide Finish:Gas Nitride Coating

Barrel Length:	3.06 in.
Overall Length:	6.05 in.
Overall Width:	1.08 in.
Overall Height:	4.4 in.
Weight:	18.5 oz (unloaded)
Action Type:	Single Action Only
Front Sights:	Fixed Steel White Dot
Rear Sights:	Serrated Drift Adjustable
Safety:	Striker Block; Trigger Safety;
	Visual Loaded Chamber Indicator

TAURUS 22 Competition

۲

1





COMPETITION PRIMED. COMPETITIVELY PRICED.

Meet the all-new **TaurusTX™ 22 Competition**—a factory-tuned mod of our award-winning polymer sporting pistol. Designed to shatter records without breaking the bank, this semi-auto rimfire is painstakingly re-engineered to meet the rigorous performance demands of today's budget-savvy competitive shooters. With four available mounting patterns, the upgraded, optics-ready 5" Bull Barrel brings match-grade accuracy and versatility to any shooting discipline.

optics-ready

5" BULL BARREL

four available

OPTICS MOUNTING PATTERNS

exclusive

PRECISION TRIGGER SYSTEM

picatinny rail

MIL-STD 1913

caliber

22LR







TAURUS 722 22

22LR (16 + 1) or (10 + 1) 4.1" barrel • 17.3 oz. Picatinny Rail (Mil-STD 1913) Fixed Front/Adjustable Rear Sights

Item No: 1-TX22141

0

0

EXCELLENCE RUNS IN THE FAMILY.

From the short, smooth pull of its precision-designed Taurus Performance Trigger System (PTS) to the built-in comfort of its ergonomic grip, the **TaurusTX™ 22** is one performance-driven full size that's ready to race. Right out of the box.





TAURUS / BAINBRIDGE, GA.







2021 Product Catalog

TaurusUSA.com





ADVANCED OPTICS. VISIONARY DESIGN.

Introducing the all-new **TORO (Taurus Optic Ready Option)** platform. Available for the first time ever on the full-size Taurus[®] G3 and the compact Taurus[®] G3c. Four interchangeable red dot mounting plates give you the ability to outfit your optic-ready Taurus[®] G3 or G3c with a variety of popular brands—quickly and easily. The exclusive TORO platform is seamlessly integrated into the slide of both pistols, enabling faster target acquisition and follow-up shots no matter your application or budget.







WHEN LESS IS SUBSTANTIALLY MORE.

The heart of a full-size. Available in a compact polymer frame. The striker-fired Taurus® G3c with restrike capability gives you everything you ever wanted in an everyday carry handgun. And some things you've never even dreamed of. An upgraded flat trigger system delivers accuracy enhancing performance. While an all-weather Tenifer finish and tough Teflon coating keep corrosion at bay. A dovetail cut rear sight makes compatibility with most aftermarket sights a breeze.



TaurusUSA.com

SERRATED DRIFT ADJUSTABLE, STEEL REAR SIGHT

VISUAL LOADED CHAMBER INDICATOR

SCALLOPS IN MAGAZINE AND FRAME TEFLON COATING ON ALL OPERATIONAL CONTROL PARTS

19

GEN 3 TRIGGER SYSTEM

FRONT SLIDE SERRATIONS

20



Single Action with Restrike Capability Matte Black (Tenifer) / Matte Stainless

REFINED DESIGN. STRIKING PERFORMANCE.

The **Taurus® G3** delivers an extraordinary new take on the traditional striker fired pistol—packing more innovation, more features and more punch into a range-friendly, full-size polymer frame.

10 UU

9mm Luger/40 S&W Carbon Steel Slide Novak Drift-Adjustable Sights Mil-STD 1913 Picatinny Rail Matte Black Finish Ambidextrous Magazine Release Ambidextrous Safety (Full size only

TTI 9 9X19

Item No: 1-TH9041

TLP31080

Ø

1112

2021 Product Ca

SERIES

The **Taurus® TH** series of hammer-fired pistols. Well-equipped, ultra-dependable and chambered in 9mm Luger or 40 S&W, the TH series is a modern reinvention of the classic hammer-fired SA/DA semi-auto platform. Available in both full-size and compact models, the TH series is built on a polymer frame that boasts finger grooves along the grip, generous stippling panels and interchangeable backstraps (full-size only) for a custom fit.





Item No: 1-G2C931-12

A STANDOUT IN CONCEALED CARRY PERFORMANCE.

The **Taurus G2c** series was engineered specifically for everyday carry—and it delivers. With its streamlined, ergonomic design and rugged, compact polymer frame, you'll find the G2 series strikes the perfect balance between comfort and confidence in any situation.

62C

9mm Luger (12 + 1) or (10 + 1) 40 S&W (10 + 1) 21.2 oz • 3.25" Barrel Mil-STD 1913 Picatinny Rail Fixed White Dot Front Sight Adjustable White Dot Rear Sight Matte Black or Matte Stainless 2 Magazines Included



Item No: 1-G2C939-12 Shown with Viridian[®] E-Series™ Red Laser 6

0

0

5.0

Item No: 1-G2S931

YOUR CHOICE FOR PERSONAL PROTECTION

The single-stack **Taurus G2s** series pushes subcompact pistol boundaries to the limit with its unprecedented design advances and full-feature performance. All without compromising comfort, effectiveness or operational efficiency.

625

9mm Luger (7 + 1) or 40 S&W (6 + 1) 20.3 oz. • 3.25" Barrel Matte Black or Matte Stainless Mil-STD 1913 Picatinny Rail Fixed White Dot Front Sight Adjustable White Dot Rear Sight 2 Magazines Included







SQUAD GOALS.

At Taurus, we don't just drive innovation. We consistently challenge the status quo. The same goes for our elite competitive shooting team.



Seven-time World and National Speed Shooting Champion KC Eusebio is easily one of the most recognized names in competitive shooting. A U.S. military veteran, USPSA Grand Master and winner of the coveted USPSA Open National title, KC continues to set the bar for success at the highest levels of competition.

Jessie


Team Captain Jessie Harrison is recognized as one of the top-ranked competitive shooters in the world. With multiple world and national titles, she continues to set and break records in her field at a relentless pace—and is the first female to obtain Grand Master status in the United States Practical Shooting Association (USPSA).

Trent

Junior Team Taurus Member Trent Eichler is a naturally gifted and skillful athlete with a focus on competitive handgun shooting. Trent's journey will serve as an inspiration to others like him—and blaze the path for a new generation of young competitive shooters everywhere.



Taurus 1911™ models shown with Altamont wood grips available at ShopTaurus.com



45 ACP (8 + 1) 9mm Luger (9 + 1) 5" barrel 42 oz. Novak Drift-Adjustable Sights Matte Black or Matte Stainless



MORE FEATURES. MORE POWER. MORE TO LOVE.

For well over a decade, the Taurus 1911[™] has redefined the iconic semi-auto platform. Now, in addition to our long-proven full-size, the Taurus 1911[™] family of pistols a compact, lighter-weight model that is ideal for concealed carry and personal defense.









22LR (8 + 1) 11 oz. Matte Black or Matte Stainless Integrated Front and Rear Sights









LIGHTWEIGHT. LOW RECOIL. EXCEPTIONALLY RELIABLE.

The Taurus[®] 942 is an 8-shot 22LR/22WMR revolver that's ideal for concealed carry, recreational shooting and skills training.







44 Magnum (6 Shot Capacity) 357 Mag/38 Special (7 Shot Capacity) 454 Casull (5 Shot Capacity) **NEW** 460 S&W (5 Shot Capacity) Matte Black or Two Tone Finish Ported Barrel Optic-Ready Picatinny Rail Fixed Front/Adjustable Rear Sights Barrel Sizes: 8.375" / 6.75" / 5.125" Weight Range: 49–57 oz.

THREE BARREL LENGTHS. FOUR CALIBERS. ONE RAGING FAMILY.



The **Taurus Raging Hunter**[™] is a next-generation, big-bore revolver that's first in innovation—and built to last. Its revolutionary angular barrel design cuts down on overall weight, while its factory tuned porting and gas expansion chamber reduces muzzle lift for quicker target acquisition. Cushioned insert grips ensure a comfortable, controllable shooting experience.

NEW TAURUS RAGING RAGING

RAGINGSIMU

Item No: 2-460085RH

HUNT BIGGER.

Item No: 2-460061BI

DERALS

The evolution of our innovative big bore revolver series continues with the introduction of the all-new **Taurus Raging Hunter™ 460**. Chambered in 460 S&W Magnum, this exceptionally mighty five-shot revolver is the definitive choice for longer-range and dangerous game hunting. An updated version of our award-winning revolver platform, the Raging Hunter 460 delivers more power and versatility in the field while providing an added level of peace of mind at home.

0

Item No: 2-460055RH

BAINBRIDGE, GA



LIGHTWEIGHT. EASY TO CONCEAL. EXCEPTIONALLY RELIABLE.

The **Taurus® 856** is finely tuned to deliver the ultimate peace of mind for home and personal defense situations.



CONCEALED HAMMER ltem No: 2-856021ULCH

45

38 Special +P (6) 2" Barrel Serrated Ramp Front Sight Fixed Rear Sight 22.1 oz. (or 15.7 oz. *Ultra-Lite*) Matte Black or Matte Stainless

VIRIDIAN® Laser grip O

Item No: 2-856021VL





Taurus® 856 Ultra-Lite is available in a variety of exclusive color combinations for added consumer appeal.











BRIGHT ORANGE, TRITIUM INSERT FRONT NIGHT SIGHT











Black Oxide or Matte Stainless Fixed Front/Adjustable Rear Sights





38 Special +P/357 Mag (5) Matte Black or Matte Stainless Steel Frame Fixed Front/Fixed Rear Sights Spurred Hammer 24 oz.





Polymer Frame Fiber Optic Front Sight 20 oz. **Item No:** 2-605021

boling and the

SOF

38 Special +P/357 Mag (8) Matte Stainless Fixed Front/Adjustable Rear Sights Ported barrel Spurred Hammer 45 oz. (4" barrel) 51 oz. (6.5" barrel)

> **Item No**: 2-608049









TRACKER®

2021 Product Catalog

58

The **Taurus Tracker® 692** 7-shot multi-caliber revolver not only rethinks traditional design, it elevates the entire revolver category. A portrait of versatility, the 692 enables you to quickly switch calibers with the simple swap of the cylinder—making it ideal for home, personal defense and target shooting. Available in carry friendly 3" and range ready 6.5" barrel versions.

ltem No: 2-692039









357 Mag/38 Special +P (7) Matte Stainless Fixed Front/Adjustable Rear Sights 35 oz. (4" barrel) 40 oz. (6.5" barrel) 61

Item No: 2-627049



45 Colt/410 GA-2½" (5) Matte Black or Matte Stainless Fiber Optic Front Sight Fixed Rear Sight 29 oz. (3" barrel) 32 oz. (6.5" barrel)

2021 Product Catalog

62

45 Colt/410 GA-2½" & 3" (5) Matte Black or Matte Stainless Fiber Optic Front Sight Fixed Rear Sight 37 oz. (3" barrel) 42 oz. (6.5" barrel)



45 Colt/454 Casull/410 GA-2½" & 3" (6) Matte Stainless Fiber Optic Front Sight Fixed Rear Sight 61 oz.

2000

Taurus Inti Mfg Mami, FL-USA

the B

....

Made in Brazil

ENGRAVED JUDGE®

3

6

45 Colt/410 GA−2½ (5) Matte Black with Custom Engraving Fiber Optic Front Sight/Fixed Rear Sight Black Wood Altamont® Grip 48 oz. (6.5" Barrel) 37 oz. (3" Barrel)

Item No: 2-441031MAG-ENG1



45 Colt/410 GA–2½" (5) Matte Black or Matte Stainless Fiber Optic Front Sight Fixed Rear Sight 28.2 oz.



45 Colt/410 GA-2¹/₂" (5) Polymer Frame Fiber Optic Front Sight Adjustable Rear Sight 24 oz.



EM NUMBER	SERIES	SHORT DESCRIPTION	UPC	SLIDE MATERIAL	SLIDE FINISH	CAPACITY	CALIBER	ACTION TYPE	OVERALL LENGTH	OVERALL WIDTH	OVERALL HEIGHT	OVERALL WEIGHT	BARREL LENGTH	SIGHTS FRONT/REAR	FIRING SYSTEM	MSRP
aurusTX™ 22																
TX22141	TaurusTX™ 22	TAURUSTX 22 22LR 4" BK/BK 2x16 RDS	7-25327-93201-7	Aluminum	Hard Anodized Black	16 RDS	22 LR	SAO	7.06 in.	1.25 in.	5.44 in.	17.30 oz	4.10 in.	Fixed (White dot) / Adjustable (White dot)	Striker	348.43
TX22141-10	TaurusTX™ 22	TAURUSTX 22 22LR 4" BK/BK 2x10 RDS	7-25327-93216-1	Aluminum	Hard Anodized Black	10 RDS	22 LR	SAO	7.06 in.	1.25 in.	5.44 in.	17.30 oz	4.10 in.	Fixed (White Dot) / Adjustable (White dot)	Striker	348.43
TX22141F	TaurusTX™ 22	TAURUSTX 22 22LR 4" FDE/BK 2x16 RDS	7-25327-93236-9	Aluminum	Hard Anodized Black	16 RDS	22 LR	SAO	7.06 in.	1.25 in.	5.44 in.	17.30 oz	4.10 in.	Fixed (White Dot) / Adjustable (White dot)	Striker	348.43
TX22141F-10	TaurusTX™ 22	TAURUSTX 22 22LR 4" FDE/BK 2x10 RDS	7-25327-93255-0	Aluminum	Hard Anodized Black	10 RDS	22 LR	SAO	7.06 in.	1.25 in.	5.44 in.	17.30 oz	4.10 in.	Fixed (White Dot) / Adjustable (White dot)	Striker	348.43
TX22141SP2	TaurusTX™ 22	TAURUSTX 22 22LR 4" GREEN SPLATTER/BK 2x16 RDS	7-25327-93377-9	Aluminum	Hard Anodized Black	16 RDS	22 LR	SAO	7.06 in.	1.25 in.	5.44 in.	17.30 oz	4.10 in.	Fixed (White Dot) / Adjustable (White dot)	Striker	365.11
TX22141SP2-10	TaurusTX™ 22	TAURUSTX 22 22LR 4" GREEN SPLATTER/BK 2x10 RDS	7-25327-93378-6	Aluminum	Hard Anodized Black	10 RDS	22 LR	SAO	7.06 in.	1.25 in.	5.44 in.	17.30 oz	4.10 in.	Fixed (White Dot) / Adjustable (White dot)	Striker	365.11
TX22241	TaurusTX™ 22	TAURUSTX 22 22LR 4" BK/BK NON MAN SAFETY 2x16	7-25327-93251-2	Aluminum	Hard Anodized Black	16 RDS	22 LR	SAO	7.06 in.	1.25 in.	5.44 in.	17.30 oz	4.10 in.	Fixed (White Dot) / Adjustable (White dot)	Striker	348.43
TX22241-10	TaurusTX™ 22	TAURUSTX 22 22LR 4" BK/BK NON MAN SAFETY 2x10	7-25327-93263-5	Aluminum	Hard Anodized Black	10 RDS	22 LR	SAO	7.06 in.	1.25 in.	5.44 in.	17.30 oz	4.10 in.	Fixed (White Dot) / Adjustable (White dot)	Striker	348.43
TX22341-10	TaurusTX™ 22	TAURUSTX 22 22LR 4" BK/BK NON THREAD 2x10	7-25327-93282-6	Aluminum	Hard Anodized Black	10 RDS	22 LR	SAO	7.13 in.	1.25 in.	5.44 in.	17.30 oz	4.16 in.	Fixed (White Dot) / Adjustable (White dot)	Striker	348.43
TX22C151	TaurusTX™ 22	TAURUSTX 22 COMPETITION 22LR 5.4" BK/BK 3x16	7-25327-93274-1	Aluminum	Hard Anodized Black	16 RDS	22 LR	SAO	8.15 in.	1.25 in.	5.44 in.	23.00 oz	5.25 in.	Fixed (White dot) / Adjustable (White dot)	Striker	533.33
TX22C151-10	TaurusTX™ 22	TAURUSTX 22 COMPETITION 22LR 5.4" BK/BK 3x10	7-25327-93544-5	Aluminum	Hard Anodized Black	10 RDS	22 LR	SAO	8.15 in.	1.25 in.	5.44 in.	23.00 oz	5.25 in.	Fixed (White dot) / Adjustable (White dot)	Striker	533.33
aurus® G3							_									
G3B941	Taurus [®] G3	G3 9MM BK/BK 4.0" 1x15, 1x17 RDS	7-25327-61823-2	Alloy Steel	Tenifer Matte Black	17 RDS	9MM LUGER	SA w/Restrike	7.28 in.	1.20 in.	5.20 in.	24.83 oz	4.00 in.	Fixed / Drift Adjustable	Striker	339.65
G3B941-10	Taurus® G3	G3 9MM BK/BK 4.0" BL 2x10 RDS	7-25327-93323-6	Alloy Steel	Tenifer Matte Black	10 RDS	9MM LUGER	SA w/Restrike	7.28 in.	1.20 in.	5.20 in.	24.83 oz	4.00 in.	Fixed / Drift Adjustable	Striker	339.65
G3B941-15	Taurus [®] G3	G3 9MM BK/BK 4.0" BL 2x15 RDS	7-25327-61916-1	Alloy Steel	Tenifer Matte Black	15 RDS	9MM LUGER	SA w/Restrike	7.28 in.	1.20 in.	5.20 in.	24.83 oz	4.00 in.	Fixed / Drift Adjustable	Striker	339.65
G3B941G	Taurus [®] G3	G3 9MM GR/BK 4.0" BL 1x15, 1x17 RDS	7-25327-61920-8	Alloy Steel	Tenifer Matte Black	17 RDS	9MM LUGER	SA w/Restrike	7.28 in.	1.20 in.	5.20 in.	24.83 oz	4.00 in.	Fixed / Drift Adjustable	Striker	339.65
3B941T	Taurus [®] G3	G3 9MM TAN/BK 4.0" BL 1x15, 1x17 RDS	7-25327-61923-9	Alloy Steel	Tenifer Matte Black	17 RDS	9MM LUGER	SA w/Restrike	7.28 in.	1.20 in.	5.20 in.	24.83 oz	4.00 in.	Fixed / Drift Adjustable	Striker	339.65
3B949	Taurus® G3	G3 9MM BK/SS 4.0" BL 1x15, 1x17 RDS	7-25327-61799-0	Stainless Steel	Matte Stainless	17 RDS	9MM LUGER	SA w/Restrike	7.28 in.	1.20 in.	5.20 in.	24.83 oz	4.00 in.	Fixed / Drift Adjustable	Striker	357.00
G3B949-10	Taurus® G3	G3 9MM BK/SS 4.0" BL 2x10 RDS	7-25327-93324-3	Stainless Steel	Matte Stainless	10 RDS	9MM LUGER	SA w/Restrike	7.28 in.	1.20 in.	5.20 in.	24.83 oz	4.00 in.	Fixed / Drift Adjustable	Striker	357.00
G3B949-15	Taurus® G3	G3 9MM BK/SS 4.0" BL 2x15 RDS	7-25327-61917-8	Stainless Steel	Matte Stainless	15 RDS	9MM LUGER	SA w/Restrike	7.28 in.	1.20 in.	5.20 in.	24.83 oz	4.00 in.	Fixed / Drift Adjustable	Striker	357.00
G3B941-MA	Taurus® G3	MASS COMP G3 9MM BK/BK 4.0" 2x10 RDS	7-25327-62724-1	Alloy Steel	Tenifer Matte Black	10 RDS	9MM LUGER	SA w/Restrike	7.28 in.	1.20 in.	5.20 in.	24.83 oz	4.00 in.	Fixed / Drift Adjustable	Striker	339.65
G3B941G-15	Taurus® G3	G3 9MM GR/BK 4.0" BL 2X15 RDS	7-25327-62595-7	Alloy Steel	Tenifer Matte Black	15 RDS	9MM LUGER	SA w/Restrike	7.28 in.	1.20 in.	5.20 in.	24.83 oz	4.00 in.	Fixed / Drift Adjustable	Striker	339.65
G3B941T-15	Taurus [®] G3	G3 9MM TAN/BK 4.0" BL 2X15 RDS	7-25327-62598-8	Alloy Steel	Tenifer Matte Black	15 RDS	9MM LUGER	SA w/Restrike	7.28 in.	1.20 in.	5.20 in.	24.83 oz	4.00 in.	Fixed / Drift Adjustable	Striker	339.65
G3B949G	Taurus® G3	G3 9MM GR/SS 4.0" BL 1x15, 1x17 RDS	7-25327-62574-2	Stainless Steel	Matte Stainless	17 RDS	9MM LUGER	SA w/Restrike	7.28 in.	1.20 in.	5.20 in.	24.83 oz	4.00 in.	Fixed / Drift Adjustable	Striker	357.00
G3B949G-15	Taurus [®] G3	G3 9MM GR/SS 4.0" BL 2x15 RDS	7-25327-62599-5	Stainless Steel	Matte Stainless	15 RDS	9MM LUGER	SA w/Restrike	7.28 in.	1.20 in.	5.20 in.	24.83 oz	4.00 in.	Fixed / Drift Adjustable	Striker	357.00
G3B949T	Taurus [®] G3	G3 9MM TAN/SS 4.0" BL 1x15, 1x17 RDS	7-25327-62571-1	Stainless Steel	Matte Stainless	17 RDS	9MM LUGER	SA w/Restrike	7.28 in.	1.20 in.	5.20 in.	24.83 oz	4.00 in.	Fixed / Drift Adjustable	Striker	357.00
G3B949T-15	Taurus [®] G3	G3 9MM TAN/SS 4.0" BL 2x15 RDS	7-25327-62602-2	Stainless Steel	Matte Stainless	15 RDS	9MM LUGER	SA w/Restrike	7.28 in.	1.20 in.	5.20 in.	24.83 oz	4.00 in.	Fixed / Drift Adjustable	Striker	357.00
aurus® G3c							_									
G3C931	Taurus [®] G3c	G3C 9MM BK/BK 3.26 " 3x12	7-25327-61930-7	Alloy Steel	Tenifer Matte Black	12 RDS	9MM LUGER	SA w/Restrike	6.30 in.	1.20 in.	5.10 in.	22.00 oz	3.20 in.	Fixed / Drift adjustable	Striker	339.65
G3C931-10	Taurus [®] G3c	G3C 9MM BK/BK 3.26 " 3x10	7-25327-93447-9	Alloy Steel	Tenifer Matte Black	10 RDS	9MM LUGER	SA w/Restrike	6.30 in.	1.20 in.	5.10 in.	22.00 oz	3.20 in.	Fixed / Drift adjustable	Striker	339.65
G3C939	Taurus® G3c	G3C 9MM BK/SS 3.26 " 3x12	7-25327-61943-7	Alloy Steel	Tenifer Matte Black	12 RDS	9MM LUGER	SA w/Restrike	6.30 in.	1.20 in.	5.10 in.	22.00 oz	3.20 in.	Fixed / Drift adjustable	Striker	357.00
G3C931-MA	Taurus [®] G3c	MASS COMP G3C 9MM BK/BK 3.26 " 3x10	7-25327-62565-0	Alloy Steel	Tenifer Matte Black	10 RDS	9MM LUGER	SA w/Restrike	6.30 in.	1.20 in.	5.10 in.	22.00 oz	3.20 in.	Fixed / Drift adjustable	Striker	339.65
G3C93ET-MA	Taurus® G3c	MASS COMP G3C 9MM TAN/TROY COYOTE 3.26 " 3x10	7-25327-62754-8	Alloy Steel	Tenifer Matte Black	10 RDS	9MM LUGER	SA w/Restrike	6.30 in.	1.20 in.	5.10 in.	22.00 oz	3.20 in.	Fixed / Drift adjustable	Striker	374.65
urus® G3c T.O.R.O.																
G3CP931	Taurus® G3c T.O.R.O.	G3C 9MM BLACK/BLACK 3.26" 3x12 OPTIC READY	7-25327-62360-1	Alloy Steel	Tenifer Matte Black	12 RDS	9MM LUGER	SA w/Restrike	6.30 in.	1.20 in.	5.10 in.	22.00 oz	3.20 in.	Fixed / Drift adjustable	Striker	449.65
G3CP931-10	Taurus® G3c T.O.R.O.	G3C 9MM BLACK/BLACK 3.26" 3x10 OPTIC READY	7-25327-93454-7	Alloy Steel	Tenifer Matte Black	10 RDS	9MM LUGER	SA w/Restrike	6.30 in.	1.20 in.	5.10 in.	22.00 oz	3.20 in.	Fixed / Drift adjustable	Striker	449.65
G3CP931-MA	Taurus® G3c T.O.R.O.	MASS COMP G3C 9MM BLACK/BLACK 3.26" 3x10 OPTIC READY	7-25327-62751-7	Alloy Steel	Tenifer Matte Black	10 RDS	9MM LUGER	SA w/Restrike	6.30 in.	1.20 in.	5.10 in.	22.00 oz	3.20 in.	Fixed / Drift adjustable	Striker	449.65
aurus® G3 T.O.R.O.																
urus [®] 63 1.0.R.0.																

TAURUS[®] PISTOLS (CONTINUED)

	(CONTINUED)															
ITEM NUMBER	SERIES	SHORT DESCRIPTION	UPC	SLIDE MATERIAL	SLIDE FINISH	CAPACITY	CALIBER	ACTION TYPE	OVERALL LENGTH	OVERALL WIDTH	OVERALL HEIGHT	OVERALL WEIGHT	BARREL LENGTH	SIGHTS FRONT/REAR	FIRING SYSTEM	MSRP
Taurus GX4™																
1-GX4M931	Taurus GX4™	TAURUS GX4 9MM BLACK/BLACK 3.0" 2x11	7-25327-93539-1	Alloy Steel	Gas Nitride Matte Black	11 RDS	9MM LUGER	SAO	6.05 in.	1.08 in.	4.4 in.	18.5 oz	3.06 in.	Fixed / Drift adjustable	Striker	392.42
1-GX4M931-10	Taurus GX4™	TAURUS GX4 9MM BLACK/BLACK 3.0" 2x10	7-25327-93582-7	Alloy Steel	Gas Nitride Matte Black	10 RDS	9MM LUGER	SAO	6.05 in.	1.08 in.	4.4 in.	18.5 oz	3.06 in.	Fixed / Drift adjustable	Striker	392.42
1-GX4M93C	Taurus GX4™	TAURUS GX4 9MM BLACK/TUNGSTEN 3.0" 2x11	7-25327-93601-5	Alloy Steel	Gas Nitride Matte Black	11 RDS	9MM LUGER	SAO	6.05 in.	1.08 in.	4.4 in.	18.5 oz	3.06 in.	Fixed / Drift adjustable	Striker	410.61
1-GX4M93E	Taurus GX4™	TAURUS GX4 9MM BLACK/TROY COYOTE BROWN 3.0" 2x11	7-25327-93598-8	Alloy Steel	Gas Nitride Matte Black	11 RDS	9MM LUGER	SAO	6.05 in.	1.08 in.	4.4 in.	18.5 oz	3.06 in.	Fixed / Drift adjustable	Striker	410.61
Taurus [®] 22 POLY															·	
1-220031PLY	Taurus [®] 22 POLY	PT22 POLY 22LR BK/BK 2.8" 1x8	7-25327-60699-4	Stainless Steel	Matte Black	8 RDS	22 LR	DAO	5.00 in.	1.10 in.	4.30 in.	11.00 oz	2.80 in.	Integrated / Integrated	Hammer	280.62
1-220039PLY	Taurus [®] 22 POLY	PT22 POLY 22LR BK/SS 2.8" 1x8	7-25327-61014-4	Stainless Steel	Matte Stainless	8 RDS	22 LR	DAO	5.00 in.	1.10 in.	4.30 in.	11.00 oz	2.80 in.	Integrated / Integrated	Hammer	297.62
Taurus [®] G2c																
1-G2C4031-10	Taurus® G2c	G2C .40 S&W BK/BK 3.26 " BL 2X10 RDS	7-25327-61612-2	Alloy Steel	Matte Black	10 RDS	40 S&W	SA w/Restrike	6.30 in.	1.20 in.	5.10 in.	22.00 oz	3.20 in.	Fixed / Adjustable	Striker	299.97
1-G2C931-10	Taurus [®] G2c	G2C 9MM BK/BK 3.26 " BL 2X10 RDS	7-25327-93196-6	Alloy Steel	Matte Black	10 RDS	9MM LUGER	SA w/Restrike	6.30 in.	1.20 in.	5.10 in.	22.00 oz	3.20 in.	Fixed / Adjustable	Striker	299.97
1-G2C931-12	Taurus® G2c	G2C 9MM BK/BK 3.26 " 2X12 RDS	7-25327-61603-0	Alloy Steel	Matte Black	12 RDS	9MM LUGER	SA w/Restrike	6.30 in.	1.20 in.	5.10 in.	22.00 oz	3.20 in.	Fixed / Adjustable	Striker	299.97
1-G2C931-12G	Taurus [®] G2c	G2C 9MM GR/BK 3.26 " BL 2X12 RDS	7-25327-61605-4	Alloy Steel	Matte Black	12 RDS	9MM LUGER	SA w/Restrike	6.30 in.	1.20 in.	5.10 in.	22.00 oz	3.20 in.	Fixed / Adjustable	Striker	299.97
1-G2C939-10	Taurus [®] G2c	G2C 9MM BK/SS 3.26 " BL 2X10 RDS	7-25327-93197-3	Stainless Steel	Matte Stainless	10 RDS	9MM LUGER	SA w/Restrike	6.30 in.	1.20 in.	5.10 in.	22.00 oz	3.20 in.	Fixed / Adjustable	Striker	316.63
1-G2C939-12	Taurus [®] G2c	G2C 9MM BK/SS 3.26 " BL 2X12 RDS	7-25327-61604-7	Stainless Steel	Matte Stainless	12 RDS	9MM LUGER	SA w/Restrike	6.30 in.	1.20 in.	5.10 in.	22.00 oz	3.20 in.	Fixed / Adjustable	Striker	316.63
I-G2C93A-12	Taurus® G2c	G2C 9MM BK/BURNT BRONZE 3.26 " BL 2X12 RDS	7-25327-61973-4	Stainless Steel	Matte Stainless	12 RDS	9MM LUGER	SA w/Restrike	6.30 in.	1.20 in.	5.10 in.	22.00 oz	3.20 in.	Fixed / Adjustable	Striker	322.32
Taurus® G2s																
-G2S931	Taurus® G2s	G2S 9MM BK/BK 3.26 " BL 2X7 RDS	7-25327-61633-7	Alloy Steel	Matte Black	7 RDS	9MM LUGER	SA w/Restrike	6.30 in.	1.10 in.	4.80 in.	20.00 oz	3.20 in.	Fixed / Adjustable	Striker	278.57
G2S939	Taurus® G2s	G2S 9MM BK/SS 3.26" BL 2X7 RDS	7-25327-61629-0	Stainless Steel	Matte Stainless	7 RDS	9MM LUGER	SA w/Restrike	6.30 in.	1.10 in.	4.80 in.	20.00 oz	3.20 in.	Fixed / Adjustable	Striker	295.58
-G2S939C	Taurus [®] G2s	G2S 9MM CY/SS 3.26 " BL 2X7 RDS	7-25327-61743-3	Stainless Steel	Matte Stainless	7 RDS	9MM LUGER	SA w/Restrike	6.30 in.	1.10 in.	4.80 in.	20.00 oz	3.20 in.	Fixed / Adjustable	Striker	295.58
Faurus® TH Series																
I-TH9041	Taurus [®] TH9	TH9 9MM BK/BK 4.25 " 2X17 RDS	7-25327-61531-6	Alloy Steel	Matte Black	17 RDS	9MM LUGER	DA/SA	7.72 in.	1.30 in.	5.98 in.	28.20 oz	4.27 in.	Novak Drift Adjustable / Novak Drift Adjustable	Hammer	381.67
-TH9C031	Taurus® TH9c	TH9 Compact 9MM BK/BK 3.54 1X17 1X13 RDS	7-25327-61534-7	Alloy Steel	Matte Black	13 RDS	9MM LUGER	DA/SA	6.85 in.	1.30 in.	5.16 in.	25.00 oz	3.54 in.	Novak Drift Adjustable / Novak Drift Adjustable	Hammer	381.67
I-TH40041	Taurus® TH40	TH40 .40 S&W BK/BK 4.25 " BL 2X15 RDS	7-25327-61532-3	Alloy Steel	Matte Black	15 RDS	40 S&W	DA/SA	7.72 in.	1.30 in.	5.98 in.	28.20 oz	4.27 in.	Novak Drift Adjustable / Novak Drift Adjustable	Hammer	381.67
-TH40C031	Taurus® TH40c	TH40 .40 S&W Compact BK/BK 3.54 " BL 1X15 1X11 RDS	7-25327-61535-4	Alloy Steel	Matte Black	11 RDS	40 S&W	DA/SA	7.10 in.	1.30 in.	4.80 in.	22.40 oz	3.54 in.	Novak Drift Adjustable / Novak Drift Adjustable	Hammer	381.67
Гaurus 1911™ Series	;									·						
1-191101-9MM	Taurus 1911™	1911 9MM LUGER, 5" BK/BK, 9+1 RDS	7-25327-61802-7	Alloy Steel	Matte Black	9 RDS	9MM LUGER	SAO	8.60 in.	1.50 in.	5.80 in.	42.00 oz	5.00 in.	Novak Drift-Adjustable / Novak Drift-Adjustable	Hammer	677.18
-191101-B1	Taurus 1911™	PT1911 .45AUTO BK/BK 5" 2x8 PIC	7-25327-60543-0	Alloy Steel	Matte Black	8 RDS	45 ACP	SAO	8.50 in.	1.50 in.	5.50 in.	42.00 oz	5.00 in.	Novak Drift-Adjustable / Novak Drift Adjustable	Hammer	769.50
-191101DT	Taurus 1911™	PT1911 .45AUTO BK/DUO 5" 2x8	7-25327-60435-8	Stainless Steel	Dual Tone	8 RDS	45 ACP	SAO	8.50 in.	1.50 in.	5.50 in.	42.00 oz	5.00 in.	Novak Drift-Adjustable / Novak Drift Adjustable	Hammer	777.53
-191101FS	Taurus 1911™	PT1911 .45AUTO BK/BK 5" 1x8	7-25327-61123-3	Alloy Steel	Matte Black	8 RDS	45 ACP	SAO	8.50 in.	1.50 in.	5.50 in.	42.00 oz	5.00 in.	Novak Drift-Adjustable / Novak Drift Adjustable	Hammer	677.18
-191101G-VZ	Taurus 1911™	1911 .45ACP BK/Cerakote Gray 5" 1x8 VZ Grip	7-25327-93156-0	Alloy Steel	Tungsten Gray Cerakote	8 RDS	45 ACP	SAO	8.50 in.	1.50 in.	5.50 in.	42.00 oz	5.00 in.	Novak Drift-Adjustable / Novak Drift Adjustable	Hammer	748.33
-191101MG-VZ	Taurus 1911™	1911 .45ACP 5" BK/Mil Spec Green 1x8 VZ Grip	7-25327-93183-6	Alloy Steel	Mil Spec OD Green Cerakote	8 RDS	45 ACP	SAO	8.50 in.	1.50 in.	5.50 in.	42.00 oz	5.00 in.	Novak Drift-Adjustable / Novak Drift Adjustable	Hammer	748.33
-191101S-VZ	Taurus 1911™	1911.45ACP BK/Cerakote Sand 5" 1x8 VZ Grip	7-25327-93157-7	Alloy Steel	Desert Sand Cerakote	8 RDS	45 ACP	SAO	8.50 in.	1.50 in.	5.50 in.	42.00 oz	5.00 in.	Novak Drift-Adjustable / Novak Drift Adjustable	Hammer	748.33
-191109	Taurus 1911™	PT1911 .45AUTO SS/SS 5" 2x8	7-25327-60103-6	Stainless Steel	Stainless	8 RDS	45 ACP	SAO	8.50 in.	1.50 in.	5.50 in.	42.00 oz	5.00 in.	Novak Drift-Adjustable / Novak Drift Adjustable	Hammer	844.57
-191109-SS1	Taurus 1911™	PT1911 .45AUTO SS/SS 5" 2x8 PIC	7-25327-60246-0	Stainless Steel	Stainless	8 RDS	45 ACP	SAO	8.50 in.	1.50 in.	5.50 in.	42.00 oz	5.00 in.	Novak Drift-Adjustable / Novak Drift Adjustable	Hammer	863.33
-191101COM	Taurus 1911™ Commander	1911 COMMANDER 45ACP 4.25" BK/BK 1x8 RDS	7-25327-61588-0	Alloy Steel	Matte Black	8 RDS	45 ACP	SAO	8.00 in.	1.30 in.	5.80 in.	38.00 oz	4.20 in.	Novak Drift-Adjustable / Novak Drift Adjustable	Hammer	677.18
-191101COM-9MM	Taurus 1911™ Commander	1911 COMMANDER 9MM LUGER, 4.25" BK/BK, 9+1 RDS	7-25327-61800-3	Alloy Steel	Matte Black	9 RDS	9MM LUGER	SAO	7.90 in.	1.30 in.	5.80 in.	38.00 oz	4.25 in.	Novak Drift-Adjustable / Novak Drift-Adjustable	Hammer	677.18
-191101COMG-VZ	Taurus 1911™ Commander	1911 COMMANDER 45ACP 4.25" BK/Cerakote Gray 1x8 VZ Grip	7-25327-93179-9	Alloy Steel	Tungsten Gray Cerakote	8 RDS	45 ACP	SAO	8.00 in.	1.30 in.	5.80 in.	38.00 oz	4.20 in.	Novak Drift-Adjustable / Novak Drift Adjustable	Hammer	715.00
-191101COMMG-VZ	Taurus 1911™ Commander	1911 COMMANDER 45ACP 4.25" BK/Cerakote MS Green 1x8 VZ Grip	7-25327-93180-5	Alloy Steel	Mil Spec OD Green Cerakote	8 RDS	45 ACP	SAO	8.00 in.	1.30 in.	5.80 in.	38.00 oz	4.20 in.	Novak Drift-Adjustable / Novak Drift Adjustable	Hammer	715.00
-191101COMS-VZ	Taurus 1911™ Commander	1911 COMMANDER 45ACP 4.25" BK/Cerakote Sand 1 x8 VZ Grip	7-25327-93181-2	Alloy Steel	Desert Sand Cerakote	8 RDS	45 ACP	SAO	8.00 in.	1.30 in.	5.80 in.	38.00 oz	4.20 in.	Novak Drift-Adjustable / Novak Drift Adjustable	Hammer	715.00
Taurus [®] 92															· · · · · · · · · · · · · · · · · · ·	
	Taurus [®] 92	PT92 9mm BK/BK 5" 2x17	7-25327-60052-7	Alloy Steel	Matte Black	17 RDS				1.60 in.						598.70



ITEM NUMBER	SERIES	SHORT DESCRIPTION	UPC	CYLINDER MATERIAL	CYLINDER FINISH	CAPACITY	CALIBER	ACTION TYPE	OVERALL LENGTH	OVERALL WIDTH	OVERALL HEIGHT	OVERALL WEIGHT	BARREL LENGTH	SIGHTS FRONT/REAR	FIRING SYSTEM	MSRP
Taurus [®] 856 Series																
2-85621	Taurus [®] 856	856 38SPL 2" 6 RDS BK/BK	7-25327-62083-9	Alloy Steel	Matte Black	6 RDS	38 SPECIAL +P	DA/SA	6.55 in.	1.41 in.	4.80 in.	22.00 oz	2.00 in.	Removable Serrated Blade / Fixed	Hammer	376.05
2-856021MVZ16	Taurus® 856	856 38SPL 2" 6 RDS BK/BK VZ BK BLUE CYCLONE Grip	7-25327-93275-8	Carbon Steel	Matte Black	6 RDS	38 SPECIAL +P	DA/SA	6.55 in.	1.41 in.	4.80 in.	22.00 oz	2.00 in.	Serrated Ramp / Fixed	Hammer	485.00
2-856021UL	Taurus® 856	856 38SPL 2" 6 RDS ULTRA-LITE BK/BK	7-25327-61651-1	Carbon Steel	Matte Black	6 RDS	38 SPECIAL +P	DA/SA	6.55 in.	1.41 in.	4.80 in.	16.00 oz	2.00 in.	Serrated Ramp / Fixed	Hammer	376.05
2-856021ULGLD	Taurus [®] 856	856 38SPL 2" 6 RDS ULTRA-LITE BK GOLD ACCENTS	7-25327-93288-8	Carbon Steel	Matte Black	6 RDS	38 SPECIAL +P	DA/SA	6.55 in.	1.41 in.	4.80 in.	16.00 oz	2.00 in.	Serrated Ramp / Fixed	Hammer	430.00
2-856021ULC09	Taurus® 856	856 38 SPL 2" 6 RDS ULTRA-LITE AZURE/BK	7-25327-61660-3	Carbon Steel	Matte Black	6 RDS	38 SPECIAL +P	DA/SA	6.55 in.	1.41 in.	4.80 in.	16.00 oz	2.00 in.	Serrated Ramp / Fixed	Hammer	423.47
2-856021ULC10	Taurus® 856	856 38 SPL 2" 6 RDS ULTRA-LITE ROUGE/BK	7-25327-61655-9	Carbon Steel	Matte Black	6 RDS	38 SPECIAL +P	DA/SA	6.55 in.	1.41 in.	4.80 in.	16.00 oz	2.00 in.	Serrated Ramp / Fixed	Hammer	423.47
2-856021ULC12	Taurus [®] 856	856 38 SPL 2" 6 RDS ULTRA-LITE BRONZE/BK	7-25327-61664-1	Carbon Steel	Matte Black	6 RDS	38 SPECIAL +P	DA/SA	6.55 in.	1.41 in.	4.80 in.	16.00 oz	2.00 in.	Serrated Ramp / Fixed	Hammer	423.47
2-856021ULC13	Taurus® 856	856 38 SPL 2" 6 RDS ULTRA-LITE B. ORANGE/BK	7-25327-61666-5	Carbon Steel	Matte Black	6 RDS	38 SPECIAL +P	DA/SA	6.55 in.	1.41 in.	4.80 in.	16.00 oz	2.00 in.	Serrated Ramp / Fixed	Hammer	423.47
2-856021ULVZ13	Taurus [®] 856	856 38SPL 2" 6 RDS UL BK/BK VZ BK Gray CYCLONE Grip	7-25327-93215-4	Carbon Steel	Matte Black	6 RDS	38 SPECIAL +P	DA/SA	6.55 in.	1.41 in.	4.80 in.	16.00 oz	2.00 in.	Serrated Ramp / Fixed	Hammer	485.00
2-856021VL	Taurus [®] 856	856 38SPL 2" BK/BK 6 RDS Viridian Red Laser Grip	7-25327-93206-2	Alloy Steel	Matte Black Oxide	6 RDS	38 SPECIAL +P	DA/SA	6.55 in.	1.41 in.	4.80 in.	22.60 oz	2.00 in.	Serrated Ramp / Fixed	Hammer	550.33
2-856021ULVL	Taurus [®] 856	856 38SPL 2" BK/BK 6 RDS ULTRA-LITE Viridian Red Laser Grip	7-25327-93207-9	Alloy Steel	Matte Black Oxide	6 RDS	38 SPECIAL +P	DA/SA	6.55 in.	1.41 in.	4.80 in.	22.60 oz	2.00 in.	Serrated Ramp / Fixed	Hammer	550.33
2-85629	Taurus® 856	856 38SPL 2" 6 RDS SS/SS	7-25327-62084-6	Stainless Steel	Matte Stainless	6 RDS	38 SPECIAL +P	DA/SA	6.55 in.	1.41 in.	4.80 in.	22.00 oz	2.00 in.	Removable Serrated Blade / Fixed	Hammer	392.72
2-856029VL	Taurus [®] 856	856 38SPL 2" SS/SS 6 RDS Viridian Red Laser Grip	7-25327-93204-8	Stainless Steel	Matte Stainless	6 RDS	38 SPECIAL +P	DA/SA	6.55 in.	1.41 in.	4.80 in.	22.60 oz	2.00 in.	Serrated Ramp / Fixed	Hammer	567.00
2-856029ULVL	Taurus [®] 856	856 38SPL 2" SS/SS 6 RDS ULTRA-LITE Viridian Red Laser Grip	7-25327-93205-5	Stainless Steel	Matte Stainless	6 RDS	38 SPECIAL +P	DA/SA	6.55 in.	1.41 in.	4.80 in.	22.60 oz	2.00 in.	Serrated Ramp / Fixed	Hammer	567.00
2-856029UL	Taurus [®] 856	856 38SPL 2" 6 RDS ULTRA-LITE SS/SS	7-25327-61650-4	Stainless Steel	Matte Stainless	6 RDS	38 SPECIAL +P	DA/SA	6.55 in.	1.41 in.	4.80 in.	16.00 oz	2.00 in.	Serrated Ramp / Fixed	Hammer	392.72
2-856029ULC09	Taurus [®] 856	856 38SPL 2" 6 RDS ULTRA-LITE AZURE/SS	7-25327-61659-7	Stainless Steel	Matte Stainless	6 RDS	38 SPECIAL +P	DA/SA	6.55 in.	1.41 in.	4.80 in.	16.00 oz	2.00 in.	Serrated Ramp / Fixed	Hammer	423.47
2-856029ULC10	Taurus® 856	856 38SPL 2" 6 RDS ULTRA-LITE ROUGE/SS	7-25327-61654-2	Stainless Steel	Matte Stainless	6 RDS	38 SPECIAL +P	DA/SA	6.55 in.	1.41 in.	4.80 in.	16.00 oz	2.00 in.	Serrated Ramp / Fixed	Hammer	423.47
2-856029ULC12	Taurus [®] 856	856 38SPL 2" 6 RDS ULTRA-LITE Bronze/SS	7-25327-61663-4	Stainless Steel	Matte Stainless	6 RDS	38 SPECIAL +P	DA/SA	6.55 in.	1.41 in.	4.80 in.	16.00 oz	2.00 in.	Serrated Ramp / Fixed	Hammer	423.47
2-856029ULC13	Taurus [®] 856	856 38SPL 2" 6 RDS ULTRA-LITE B. ORANGE/SS	7-25327-61665-8	Stainless Steel	Matte Stainless	6 RDS	38 SPECIAL +P	DA/SA	6.55 in.	1.41 in.	4.80 in.	16.00 oz	2.00 in.	Serrated Ramp / Fixed	Hammer	423.47
2-85629UL	Taurus [®] 856	856 38SPL 2" 6 RDS ULTRA-LITE SS/SS	7-25327-62086-0	Stainless Steel	Matte Stainless	6 RDS	38 SPECIAL +P	DA/SA	6.55 in.	1.41 in.	4.80 in.	16.00 oz	2.00 in.	Removable Serrated Blade / Fixed	Hammer	392.72
2-85629ULGLD	Taurus [®] 856	856 38SPL 2" 6 RDS ULTRA-LITE SS GOLD ACCENTS	7-25327-93287-1	Stainless Steel	Matte Stainless	6 RDS	38 SPECIAL +P	DA/SA	6.55 in.	1.41 in.	4.80 in.	16.00 oz	2.00 in.	Removable Serrated Blade / Fixed	Hammer	477.63
2-856029ULVZ06	Taurus® 856	856 38SPL 2" 6 RDS ULTRA-LITE SS/SS VZ BLACK OPERATOR GRIP II	7-25327-93214-7	Carbon Steel	Matte Black	6 RDS	38 SPECIAL +P	DA/SA	6.55 in.	1.41 in.	4.80 in.	16.00 oz	2.00 in.	Serrated Ramp / Fixed	Hammer	501.67
2-856021SW	Taurus [®] 856	856 38SPL 2" 6 RDS BK/BK WALNUT SMOOTH GRIP	7-25327-93400-4	Stainless Steel	Matte Stainless	6 RDS	38 SPECIAL +P	DA/SA	6.55 in.	1.41 in.	4.80 in.	16.00 oz	2.00 in.	Removable Serrated Blade / Fixed	Hammer	420.55
2-856029SW	Taurus® 856	856 38SPL 2" 6 RDS SS/SS WALNUT SMOOTH GRIP	7-25327-93401-1	Stainless Steel	Matte Stainless	6 RDS	38 SPECIAL +P	DA/SA	6.55 in.	1.41 in.	4.80 in.	16.00 oz	2.00 in.	Removable Serrated Blade / Fixed	Hammer	437.82
2-856021CH	Taurus [®] 856 Concealed Hammer	856 38SPL 2" 6 RDS BLACK/BK CH	7-25327-61748-8	Alloy Steel	Matte Black	6 RDS	38 SPECIAL +P	DAO	6.55 in.	1.41 in.	4.80 in.	22.00 oz	2.00 in.	Serrated Ramp / Fixed	Hammer	376.05
2-856021ULCH	Taurus [®] 856 Concealed Hammer	856 38SPL 2" 6 RDS ULTRA-LITE BLACK/BK CH	7-25327-61750-1	Carbon Steel	Matte Black	6 RDS	38 SPECIAL +P	DAO	6.55 in.	1.41 in.	4.80 in.	16.00 oz	2.00 in.	Serrated Ramp / Fixed	Hammer	376.05
2-856029CH	Taurus® 856 Concealed Hammer	856 38SPL 2" 6 RDS SS/SS CH	7-25327-61749-5	Stainless Steel	Matte Stainless	6 RDS	38 SPECIAL +P	DAO	6.55 in.	1.41 in.	4.80 in.	22.00 oz	2.00 in.	Serrated Ramp / Fixed	Hammer	392.72
2-856029ULCH	Taurus® 856 Concealed Hammer	856 38SPL 2" 6 RDS ULTRA-LITE SS/SS CH	7-25327-61751-8	Stainless Steel	Matte Stainless	6 RDS	38 SPECIAL +P	DAO	6.55 in.	1.41 in.	4.80 in.	22.00 oz	2.00 in.	Serrated Ramp / Fixed	Hammer	392.72
2-85631NS	Taurus® Defender 856	856 38SPL 3" 6 RDS BSS/BSS N.S. HOGUE GRIP	7-25327-93387-8	Stainless Steel	Matte Stainless	6 RDS	38 SPECIAL +P	DA/SA	7.50 in.	1.41 in.	4.80 in.	23.52 oz	3.00 in.	Night Sight w/ Orange Outline / Fixed	Hammer	428.87
2-85631ULNS	Taurus® Defender 856	856 38SPL 3" 6 RDS BSS/BSS N.S. HOGUE GRIP	7-25327-93388-5	Stainless Steel	Matte Stainless	6 RDS	38 SPECIAL +P	DA/SA	7.50 in.	1.41 in.	4.80 in.	17.36 oz	3.00 in.	Night Sight w/ Orange Outline / Fixed	Hammer	428.87
2-85635NSVZ	Taurus® Defender 856	856 38SPL 3" 6 RDS SS BLACK ACCENT N.S. VZ GRIP	7-25327-93389-2	Stainless Steel	Matte Black	6 RDS	38 SPECIAL +P	DA/SA	7.50 in.	1.41 in.	4.80 in.	25.52 oz	3.00 in.	Night Sight w/ Orange Outline / Fixed	Hammer	499.95
2-85639NS	Taurus® Defender 856	856 38SPL 3" 6 RDS SS/SS N.S. HOGUE GRIP	7-25327-93385-4	Stainless Steel	Matte Black	6 RDS	38 SPECIAL +P	DA/SA	7.50 in.	1.41 in.	4.80 in.	23.52 oz	3.00 in.	Night Sight w/ Orange Outline / Fixed	Hammer	446.12
2-85639ULNS	Taurus® Defender 856	856 38SPL 3" 6 RDS UL SS/SS N.S. HOGUE GRIP	7-25327-93386-1	Stainless Steel	Matte Black	6 RDS	38 SPECIAL +P	DA/SA	7.50 in.	1.41 in.	4.80 in.	17.36 oz	3.00 in.	Night Sight w/ Orange Outline / Fixed	Hammer	446.12
2-8563CNS	Taurus® Defender 856	856 38SPL 3" 6 RDS TUNGSTEN N.S. WOOD GRIP	7-25327-93390-8	Stainless Steel	Tungsten Cerakote	6 RDS	38 SPECIAL +P	DA/SA	7.50 in.	1.41 in.	4.80 in.	24.00 oz	3.00 in.	Night Sight w/ Orange Outline / Fixed	Hammer	466.28
Taurus [®] 82																
2-820041	Taurus® 82	M82 .38SPL +P BK 4" 6 RDS	7-25327-20072-7	Alloy Steel	Matte Black Oxide	6 RDS	38 SPECIAL +P	DA/SA	9.25 in.	1.50 in.	5.50 in.	37.00 oz	4.00 in.	Fixed / Fixed	Hammer	474.48
2 020041			1 20021-20012-1	Alloy Gleen	Matte Diack Oxide	01100	SU SI LOIAL IF	DA/ SA	5.25 11.	1.50 m.	5.50 m.	01.00 02	4.00 m.	Fixed / Fixed	laminer	

TAURUS[®] REVOLVERS (CONTINUED)


EM NUMBER	SERIES	SHORT DESCRIPTION	UPC	CYLINDER MATERIAL	CYLINDER FINISH	CAPACITY	CALIBER	ACTION TYPE	OVERALL LENGTH	OVERALL WIDTH	OVERALL HEIGHT	OVERALL WEIGHT	BARREL LENGTH	SIGHTS FRONT/REAR	FIRING SYSTEM	MSRP
aging Hunter™ Series																
357051RH	Raging Hunter™	RAGING HUNTER 357MAG 5 1/8" 7RDS BK	7-25327-61756-3	Alloy Steel	Matte Black Oxide	7 RDS	357 MAG / 38 SPECIAL +P	DA/SA	11.50 in.	1.80 in.	6.50 in.	49.00 oz	5.12 in.	Fixed / Adjustable	Hammer	1,021.73
357055RH	Raging Hunter™	RAGING HUNTER 357MAG 5 1/8" 7RDS TWO TONE	7-25327-61757-0	Alloy Steel	Matte Black Oxide	7 RDS	357 MAG / 38 SPECIAL +P	DA/SA	11.50 in.	1.80 in.	6.50 in.	49.00 oz	5.12 in.	Fixed / Adjustable	Hammer	1,032.13
357061RH	Raging Hunter™	RAGING HUNTER .357MAG/38SPL 6 3/4" 7RDS BK	7-25327-61758-7	Alloy Steel	Matte Black Oxide	7 RDS	357 MAG / 38 SPECIAL +P	DA/SA	12.25 in.	1.80 in.	6.50 in.	53.00 oz	6.75 in.	Fixed / Adustable	Hammer	1,021.73
357065RH	Raging Hunter™	RAGING HUNTER .357MAG/38SPL 6 3/4" 7 RDS TWO TONE	7-25327-61759-4	Alloy Steel	Matte Black Oxide	7 RDS	357 MAG / 38 SPECIAL +P	DA/SA	12.25 in.	1.80 in.	6.50 in.	53.00 oz	6.75 in.	Fixed / Adjustable	Hammer	1,032.13
357081RH	Raging Hunter™	RAGING HUNTER .357MAG/38SPL 8 3/8" 7 RDS BK	7-25327-61760-0	Alloy Steel	Matte Black Oxide	7 RDS	357 MAG / 38 SPECIAL +P	DA/SA	15.00 in.	1.80 in.	6.50 in.	59.20 oz	8.37 in.	Fixed / Adjustable	Hammer	1,021.73
57085RH	Raging Hunter™	RAGING HUNTER .357MAG/38SPL 8 3/8" 7RDS TWO TONE	7-25327-61761-7	Alloy Steel	Matte Black Oxide	7 RDS	357 MAG / 38 SPECIAL +P	DA/SA	15.00 in.	1.80 in.	6.50 in.	59.20 oz	8.37 in.	Fixed / Adjustable	Hammer	1,032.13
40051RH	Raging Hunter™	RAGING HUNTER 44MAG 5 1/8" 6RDS BK	7-25327-61752-5	Alloy Steel	Matte Black Oxide	6 RDS	44 MAG	DA/SA	10.90 in.	1.80 in.	6.50 in.	49.00 oz	5.12 in.	Fixed / Adjustable	Hammer	1,021.73
40055RH	Raging Hunter™	RAGING HUNTER 44MAG 5 1/8" 6RDS TWO TONE	7-25327-61753-2	Alloy Steel	Matte Black Oxide	6 RDS	44 MAG	DA/SA	10.90 in.	1.80 in.	6.50 in.	49.00 oz	5.12 in.	Fixed / Adjustable	Hammer	1,032.13
40061RH	Raging Hunter™	RAGING HUNTER 44MAG 6 3/4" 6RDS BK	7-25327-61755-6	Alloy Steel	Matte Black Oxide	6 RDS	44 MAG	DA/SA	12.60 in.	1.80 in.	6.50 in.	53.00 oz	6.75 in.	Fixed / Adjustable	Hammer	1,021.73
40065RH	Raging Hunter™	RAGING HUNTER 44MAG 6 3/4" 6RDS TWO TONE	7-25327-61754-9	Alloy Steel	Matte Black Oxide	6 RDS	44 MAG	DA/SA	12.60 in.	1.80 in.	6.50 in.	53.00 oz	6.75 in.	Fixed / Adjustable	Hammer	1,032.13
40081RH	Raging Hunter™	RAGING HUNTER 44MAG 8 3/8 " 6RDS BK	7-25327-61558-3	Alloy Steel	Matte Black Oxide	6 RDS	44 MAG	DA/SA	15.00 in.	1.80 in.	6.50 in.	55.00 oz	8.37 in.	Fixed / Adjustable	Hammer	1,021.73
40081RH-DLX	Raging Hunter™	RAGING HUNTER 44MAG 8 3/8 " 6RDS BK with Deluxe Black Case	7-25327-93186-7	Alloy Steel	Matte Black Oxide	6 RDS	44 MAG	DA/SA	15.00 in.	1.80 in.	6.50 in.	55.00 oz	8.37 in.	Fixed / Adjustable	Hammer	1,055.17
40085RH	Raging Hunter™	RAGING HUNTER 44MAG 8 3/8" 6RDS TWO TONE	7-25327-61596-5	Alloy Steel	Matte Black Oxide	6 RDS	44 MAG	DA/SA	15.00 in.	1.80 in.	6.50 in.	55.00 oz	8.37 in.	Fixed / Adjustable	Hammer	1,032.13
10085RH-DLX	Raging Hunter™	RAGING HUNTER 44MAG 8 3/8" 6RDS TWO TONE with Deluxe Black Case	7-25327-93185-0	Alloy Steel	Matte Black Oxide	6 RDS	44 MAG	DA/SA	15.00 in.	1.80 in.	6.50 in.	55.00 oz	8.37 in.	Fixed / Adjustable	Hammer	1,065.56
54051RH	Raging Hunter™	RAGING HUNTER 454 5 1/8" 5RDS BK	7-25327-61762-4	Alloy Steel	Matte Black Oxide	5 RDS	454 CASULL	DA/SA	10.90 in.	1.80 in.	6.50 in.	50.00 oz	5.12 in.	Fixed / Adjustable	Hammer	1,021.73
4055RH	Raging Hunter™	RAGING HUNTER 454 5 1/8" 5RDS TWO TONE	7-25327-61763-1	Alloy Steel	Matte Black Oxide	5 RDS	454 CASULL	DA/SA	10.90 in.	1.80 in.	6.50 in.	50.00 oz	5.12 in.	Fixed / Adjustable	Hammer	1,032.13
4061RH	Raging Hunter™	RAGING HUNTER 454 6 3/4" 5RDS BK	7-25327-61764-8	Alloy Steel	Matte Black Oxide	5 RDS	454 CASULL	DA/SA	12.50 in.	1.80 in.	6.50 in.	54.00 oz	6.75 in.	Fixed / Adjustable	Hammer	1,021.73
4065RH	Raging Hunter™	RAGING HUNTER 454 6 3/4" 5RDS TWO TONE	7-25327-61765-5	Alloy Steel	Matte Black Oxide	5 RDS	454 CASULL	DA/SA	12.50 in.	1.80 in.	6.50 in.	54.00 oz	6.75 in.	Fixed / Adjustable	Hammer	1,032.13
4081RH	Raging Hunter™	RAGING HUNTER .454CASULL 8-3/8 " 5 RDS BK	7-25327-61766-2	Alloy Steel	Matte Black Oxide	5 RDS	454 CASULL	DA/SA	15.00 in.	1.80 in.	6.50 in.	57.00 oz	8.37 in.	Fixed / Adjustable	Hammer	1,021.73
4085RH	Raging Hunter™	RAGING HUNTER .454CASULL 8-3/8 " 5 RDS TWO TONE	7-25327-61767-9	Alloy Steel	Matte Black Oxide	5 RDS	454 CASULL	DA/SA	15.00 in.	1.80 in.	6.50 in.	57.00 oz	8.37 in.	Fixed / Adjustable	Hammer	1,032.13
0051RH	Raging Hunter™	RAGING HUNTER 460 S&W 5 1/8" 5 RDS BK	7-25327-62061-7	Alloy Steel	Matte Black Oxide	5 RDS	460 S&W Magnum	DA/SA	10.90 in.	1.80 in.	6.50 in.	50.00 oz	5.12 in.	Fixed / Adjustable	Hammer	1,065.00
0055RH	Raging Hunter™	RAGING HUNTER 460 S&W 5 1/8" 5 RDS BK	7-25327-62062-4	Alloy Steel	Matte Black Oxide	5 RDS	460 S&W Magnum	DA/SA	10.90 in.	1.80 in.	6.50 in.	50.00 oz	5.12 in.	Fixed / Adjustable	Hammer	1,081.67
0061RH	Raging Hunter™	RAGING HUNTER 460 S&W MAG 6 3/4" 5RDS BK	7-25327-62064-8	Alloy Steel	Matte Black Oxide	5 RDS	460 S&W Magnum	DA/SA	12.50 in.	1.80 in.	6.50 in.	54.00 oz	6.75 in.	Fixed / Adjustable	Hammer	1,065.00
50065RH	Raging Hunter™	RAGING HUNTER 460 S&W MAG 6 3/4" 5RDS TWO TONE	7-25327-62063-1	Alloy Steel	Matte Black Oxide	5 RDS	460 S&W Magnum	DA/SA	12.50 in.	1.80 in.	6.50 in.	54.00 oz	6.75 in.	Fixed / Adjustable	Hammer	1,081.67
60081RH	Raging Hunter™	RAGING HUNTER 460 S&W MAG 8 3/8" 5RDS BK	7-25327-61907-9	Alloy Steel	Matte Black Oxide	5 RDS	460 S&W Magnum	DA/SA	15.00 in.	1.80 in.	6.50 in.	57.00 oz	8.37 in.	Fixed / Adjustable	Hammer	1,065.00
0085RH	Raging Hunter™	RAGING HUNTER 460 S&W MAG 8 3/8" 5RDS TWO TONE	7-25327-61906-2	Alloy Steel	Matte Black Oxide	5 RDS	460 S&W Magnum	DA/SA	15.00 in.	1.80 in.	6.50 in.	57.00 oz	8.37 in.	Fixed / Adjustable	Hammer	1,081.67
ırus® 608												·				
)8049	Taurus® 608	M608 357MAGNUM 4" S/S A/S 8-SHOTS	7-25327-32014-2	Stainless Steel	Matte Stainless	8 RDS	357 MAG / 38 SPECIAL +P	DA/SA	9.67 in.	1.80 in.	6.00 in.	45.00 oz	4.00 in.	Fixed / Adjustable	Hammer	852.75
8069	Taurus® 608	M608 357MAGNUM 6-1/2" S/S A/S 8-SHOTS	7-25327-32016-6	Stainless Steel	Matte Stainless	8 RDS	357 MAG / 38 SPECIAL +P	DA/SA	11.67 in.	1.80 in.	6.00 in.	51.00 oz	6.50 in.	Fixed / Adjustable	Hammer	852.75
rus [®] 44													<u>,</u>		,	
0049	Taurus [®] 44	M44 .44MAG SS 4" 6-RDS	7-25327-20402-2	Stainless Steel	Matte Stainless	6 RDS	44 MAG	DA/SA	9.37 in.	1.80 in.	6.00 in.	45.00 oz	4.00 in.	Fixed / Adjustable	Hammer	727.03
0069	Taurus [®] 44	M44 .44MAG SS 6-1/2" 6-RDS	7-25327-20404-6	Stainless Steel	Matte Stainless	6 RDS	44 MAG	DA/SA	11.67 in.	1.80 in.	6.00 in.	52.00 oz	6.50 in.	Fixed / Adjustable	Hammer	727.03
0089	Taurus [®] 44	M44 .44MAG SS 8-3/8" 6-RDS	7-25327-20406-0	Stainless Steel	Matte Stainless	6 RDS	44 MAG	DA/SA	13.75 in.	1.80 in.	6.00 in.	57.00 oz	8.37 in.	Fixed / Adjustable	Hammer	745.27
ırus® 66				1					1 		 	 	 			
0041	Taurus® 66	M66 .357MAG BK 4" 7-RDS	7-25327-20013-0	Alloy Steel	Black Oxide	7 RDS	357 MAG / 38 SPECIAL +P	DA/SA	10.50 in.	1.50 in.	5.70 in.	38.00 oz	4.00 in.	Fixed / Adjustable	Hammer	552.55
0049	Taurus [®] 66	M66 .357MAG SS 4" 7-RDS	7-25327-20015-4	Stainless Steel	Matte Stainless	7 RDS	357 MAG / 38 SPECIAL +P	DA/SA	10.50 in.	1.50 in.	5.70 in.	38.00 oz	4.00 in.	Fixed / Adjustable	Hammer	569.92
0061	Taurus [®] 66	M66 .357MAG BK 6" 7-RDS	7-25327-20016-1	Alloy Steel	Matte Black Oxide	7 RDS	357 MAG / 38 SPECIAL +P	DA/SA DA/SA	12.25 in.	1.50 in.	5.70 in.	40.00 oz	6.00 in.	Fixed / Adjustable	Hammer	552.55
0001			7-25327-20018-5	Anoy oteer		7 RDS	SST WAG / SO ST LOTAL TF	DA/SA DA/SA	12.25 in.	1.50 in.	5.70 in.	40.00 oz	6.00 in.		riammer	569.92

TAURUS[®] REVOLVERS (CONTINUED)

ITEM NUMBER	SERIES	SHORT DESCRIPTION	UPC	CYLINDER MATERIAL	CYLINDER FINISH	CAPACITY	CALIBER	ACTION TYPE	OVERALL LENGTH	OVERALL WIDTH	OVERALL HEIGHT	OVERALL WEIGHT	BARREL LENGTH	SIGHTS FRONT/REAR	FIRING SYSTEM	MSRP
Taurus [®] 65																
2-650041	Taurus [®] 65	M65 .357MAG BK 4" 6-RDS	7-25327-20003-1	Alloy Steel	Matte Black Oxide	6 RDS	357 MAG / 38 SPECIAL +P	DA/SA	10.50 in.	1.50 in.	5.50 in.	38.00 oz	4.00 in.	Fixed / Fixed	Hammer	535.55
2-650049	Taurus® 65	M65 .357MAG SS 4" 6-RDS	7-25327-33008-0	Stainless Steel	Matte Stainless	6 RDS	357 MAG / 38 SPECIAL +P	DA/SA	10.50 in.	1.50 in.	5.50 in.	38.00 oz	4.00 in.	Fixed / Fixed	Hammer	552.90
Taurus Tracker [®] 692																
2-692031	Taurus Tracker [®] 692	692 TRACKER BK/BK .357MAG/9MM 3" 7 RDS	7-25327-61602-3	Alloy Steel	Matte Black	7 RDS	357 MAG / 38 SPECIAL +P / 9MM	DA/SA	8.14 in.	1.50 in.	5.66 in.	35.00 oz	3.00 in.	Fixed / Adjustable	Hammer	717.75
2-692039	Taurus Tracker® 692	692 TRACKER SS/SS .357MAG/9MM 3" 7 RDS	7-25327-61600-9	Stainless Steel	Matte Stainless	7 RDS	357 MAG / 38 SPECIAL +P / 9MM	DA/SA	8.14 in.	1.50 in.	5.66 in.	35.00 oz	3.00 in.	Fixed / Adjustable	Hammer	776.68
2-692061	Taurus Tracker [®] 692	692 TRACKER BK/BK .357MAG/9MM 6.5" 7 RDS	7-25327-61601-6	Alloy Steel	Matte Black	7 RDS	357 MAG / 38 SPECIAL +P / 9MM	DA/SA	11.64 in.	1.50 in.	5.66 in.	46.00 oz	6.50 in.	Fixed / Adjustable	Hammer	717.75
2-692069	Taurus Tracker [®] 692	692 TRACKER SS/SS .357MAG/9MM 6.5" 7 RDS	7-25327-61599-6	Stainless Steel	Matte Stainless	7 RDS	357 MAG / 38 SPECIAL +P / 9MM	DA/SA	11.64 in.	1.50 in.	5.66 in.	46.00 oz	6.50 in.	Fixed / Adjustable	Hammer	776.68
Taurus Tracker [®] 992																
2-992049	Taurus Tracker® 992	M992 TRACKER .22LR/WMR SS 4" 9-RDS	7-25327-61021-2	Stainless Steel	Matte Stainless	9 RDS	22 LR / 22 WMR	DA/SA	8.80 in.	1.50 in.	5.30 in.	40.00 oz	4.00 in.	Fixed / Adjustable	Hammer	776.68
2-992069	Taurus Tracker [®] 992	M992 TRACKER .22LR/WMR SS 6-1/2" 9-RDS	7-25327-61017-5	Stainless Steel	Matte Stainless	9 RDS	22 LR / 22 WMR	DA/SA	11.20 in.	1.50 in.	5.30 in.	46.00 oz	6.50 in.	Fixed / Adjustable	Hammer	776.68
Taurus Tracker® 627																
2-627049	Taurus Tracker® 627	M627 TRACKER .357MAG SS 4" 7-RDS	7-25327-34038-6	Stainless Steel	Matte Stainless	7 RDS	357 MAG / 38 SPECIAL +P	DA/SA	8.75 in.	1.50 in.	5.30 in.	35.00 oz	4.00 in.	Fixed / Adjustable	Hammer	588.30
2-627069	Taurus Tracker [®] 627	M627 TRACKER .357MAG SS 6-1/2" 7-RDS	7-25327-34083-6	Stainless Steel	Matte Stainless	7 RDS	357 MAG / 38 SPECIAL +P	DA/SA	10.75 in.	1.50 in.	5.30 in.	40.00 oz	6.50 in.	Fixed / Adjustable	Hammer	588.30
Taurus Tracker®44																
2-440041TKR	Taurus Tracker®44	M44 TRACKER .44MAG BK 4" 5-RDS	7-25327-35123-8	Alloy Steel	Matte Black Oxide	5 RDS	44 MAG	DA/SA	9.00 in.	1.60 in.	5.30 in.	35.00 oz	4.00 in.	Fixed / Adjustable	Hammer	635.93
2-440049TKR	Taurus Tracker®44	M44 TRACKER .44MAG SS 4" 5-RDS	7-25327-35124-5	Stainless Steel	Matte Stainless	5 RDS	44 MAG	DA/SA	9.00 in.	1.60 in.	5.30 in.	35.00 oz	4.00 in.	Fixed / Adjustable	Hammer	654.17
Taurus Tracker®17																
2-170061	Taurus Tracker®17	M17 TRACKER .17HMR BK 6-1/2" 7-RDS	7-25327-34202-1	Alloy Steel	Matte Black Oxide	7 RDS	17 HMR	DA/SA	10.75 in.	1.50 in.	5.30 in.	47.00 oz	6.50 in.	Fixed / Adjustable	Hammer	595.60
2-170069	Taurus Tracker®17	M17 TRACKER .17HMR SS 6-1/2" 7-RDS	7-25327-34146-8	Stainless Steel	Matte Stainless	7 RDS	17 HMR	DA/SA	10.75 in.	1.50 in.	5.30 in.	47.00 oz	6.50 in.	Fixed / Adjustable	Hammer	654.23
Taurus Judge® Serie	s				1							1			Υ	
2-441031T	Taurus Judge®	TAURUS JUDGE .45COLT/.410 BK 3" 5-RDS	7-25327-60211-8	Alloy Steel	Matte Black Oxide	5 RDS	45 COLT/410 BORE 2.5 IN	DA/SA	9.50 in.	1.50 in.	5.10 in.	29.00 oz	3.00 in.	Fiber Optic / Fixed	Hammer	563.32
2-441039T	Taurus Judge®	TAURUS JUDGE .45COLT/.410 SS 3" 5-RDS	7-25327-60212-5	Stainless Steel	Matte Stainless	5 RDS	45 COLT/410 BORE 2.5 IN	DA/SA	9.50 in.	1.50 in.	5.10 in.	29.00 oz	3.00 in.	Fiber Optic / Fixed	Hammer	615.37
2-441061T	Taurus Judge®	JUDGE .45COLT/.410 BK 6-1/2" 5-RDS	7-25327-60095-4	Alloy Steel	Matte Black Oxide	5 RDS	45 COLT/410 BORE 2.5 IN	DA/SA	12.50 in.	1.50 in.	5.10 in.	32.00 oz	6.50 in.	Fiber Optic / Fixed	Hammer	563.32
2-441069T	Taurus Judge®	JUDGE .45COLT/.410 SS 6-1/2" 5-RDS	7-25327-60097-8	Stainless Steel	Matte Stainless	5 RDS	45 COLT/410 BORE 2.5 IN	DA/SA	12.50 in.	1.50 in.	5.10 in.	32.00 oz	6.50 in.	Fiber Optic / Fixed	Hammer	615.37
2-441031MAG	Taurus Judge [®] Magnum	JUDGE .45COLT/.410MAG BK 3" 5-RDS	7-25327-60453-2	Alloy Steel	Matte Black Oxide	5 RDS	45 COLT/410 BORE 3 IN	DA/SA	9.50 in.	1.50 in.	5.10 in.	37.00 oz	3.00 in.	Fiber Optic / Fixed	Hammer	563.32
2-441039MAG	Taurus Judge® Magnum	JUDGE .45COLT/.410MAG SS 3" 5-RDS	7-25327-60452-5	Stainless Steel	Matte Stainless	5 RDS	45 COLT/410 BORE 3 IN	DA/SA	9.50 in.	1.50 in.	5.10 in.	37.00 oz	3.00 in.	Fiber Optic / Fixed	Hammer	615.37
2-441061MAG	Taurus Judge® Magnum	JUDGE .45COLT/.410MAG BK 6-1/2" 5-RDS	7-25327-61118-9	Alloy Steel	Matte Black Oxide	5 RDS	45 COLT/410 BORE 3 IN	DA/SA	12.50 in.	1.50 in.	5.10 in.	48.00 oz	6.50 in.	Fiber Optic / Fixed	Hammer	563.32
2-441069MAG	Taurus Judge [®] Magnum	JUDGE .45COLT/.410MAG SS 6-1/2" 5-RDS	7-25327-61117-2	Stainless Steel	Matte Stainless	5 RDS	45 COLT/410 BORE 3 IN	DA/SA	12.50 in.	1.50 in.	5.10 in.	48.00 oz	6.50 in.	Fiber Optic / Fixed	Hammer	615.37
2-441031TC	Taurus Judge Public Defender®	PUBLIC DEFENDER .45COLT/.410 BK 2-1/2" 5-RDS	7-25327-60708-3	Alloy Steel	Matte Black Oxide	5 RDS	45 COLT/410 BORE 2.5 IN	DA/SA	7.65 in.	1.50 in.	4.60 in.	28.00 oz	2.50 in.	Fiber Optic / Fixed	Hammer	563.32
2-441039TC	Taurus Judge Public Defender®	PUBLIC DEFENDER .45COLT/.410 SS 2-1/2" 5-RDS	7-25327-60709-0	Stainless Steel	Matte Stainless	5 RDS	45 COLT/410 BORE 2.5 IN	DA/SA	7.65 in.	1.50 in.	4.60 in.	28.00 oz	2.50 in.	Fiber Optic / Fixed	Hammer	615.37
2-441021PFS	Taurus Judge Public Defender [®] Polymer	PUBLIC DEFENDER POLY .45COLT/.410 BK 2" 5-RDS	7-25327-61069-4	Alloy Steel	Matte Black Oxide	5 RDS	45 COLT/410 BORE 2.5 IN	DA/SA	7.65 in.	1.50 in.	4.80 in.	27.00 oz	2.50 in.	Fiber Optic / Adjustable	Hammer	501.53
2-441029TCPLY	Taurus Judge Public Defender® Polymer	PUBLIC DEFENDER POLY .45COLT/.410 SS 2" 5-RDS	7-25327-60833-2	Stainless Steel	Matte Stainless	5 RDS	45 COLT/410 BORE 2.5 IN	DA/SA	7.65 in.	1.50 in.	4.80 in.	27.00 oz	2.50 in.	Fiber Optic / Adjustable	Hammer	518.88
2-441021FDE	Taurus Judge Public Defender® Polymer	PUBLIC DEFENDER POLY .45COLT/.410 FDE/BK 2" 5-RDS	7-25327-61236-0	Alloy Steel	Matte Black Oxide	5 RDS	45 COLT/410 BORE 2.5 IN	DA/SA	7.65 in.	1.50 in.	4.80 in.	27.00 oz	2.50 in.	Fiber Optic / Adjustable	Hammer	501.53
2-441029FDE	Taurus Judge Public Defender® Polymer	PUBLIC DEFENDER POLY .45COLT/.410 FDE/SS 2" 5-RDS	7-25327-61256-8	Stainless Steel	Matte Stainless	5 RDS	45 COLT/410 BORE 2.5 IN	DA/SA	7.65 in.	1.50 in.	4.80 in.	27.00 oz	2.50 in.	Fiber Optic / Adjustable	Hammer	518.88
2-441021GRY	Taurus Judge Public Defender® Polymer	PUBLIC DEFENDER POLY .45COLT/.410 GRAY/BK 2" 5-RDS	7-25327-61529-3	Alloy Steel	Matte Black Oxide	5 RDS	45 COLT/410 BORE 2.5 IN	DA/SA	7.65 in.	1.50 in.	4.80 in.	27.00 oz	2.50 in.	Fiber Optic / Adjustable	Hammer	501.53

TAURUS[®] REVOLVERS (CONTINUED)

ITEM NUMBER	SERIES	SHORT DESCRIPTION	UPC	CYLINDER MATERIAL	CYLINDER FINISH	CAPACITY	CALIBER	ACTION TYPE	OVERALL LENGTH	OVERALL WIDTH	OVERALL HEIGHT	OVERALL WEIGHT	BARREL LENGTH	SIGHTS FRONT/REAR	FIRING SYSTEM	MSRP
Taurus [®] 380																
2-380121UL	Taurus [®] 380	M380 ULTRA-LITE .380AUTO BK 1-3/4" 5-RDS	7-25327-60937-7	Alloy Steel	Matte Black Oxide	5 RDS	.380 AUTO	DAO	5.95 in.	1.40 in.	4.40 in.	16.00 oz	1.75 in.	Fixed / Adjustable	Hammer	536.97
2-380129UL	Taurus [®] 380	M380 ULTRA-LITE .380AUTO SS 1-3/4" 5-RDS	7-25327-61023-6	Stainless Steel	Matte Stainless	5 RDS	.380 AUTO	DAO	5.95 in.	1.40 in.	4.40 in.	16.00 oz	1.75 in.	Fixed / Adjustable	Hammer	576.70
Taurus [®] 905																
2-905021	Taurus [®] 905	M905 9MM BK 2" 5 RDS	7-25327-34179-6	Alloy Steel	Matte Black	5 RDS	9MM LUGER	DA/SA	6.5 in.	1.40 in.	4.40 in.	21.00 oz	2.00 in.	Fixed / Fixed	Hammer	406.47
2-905029	Taurus [®] 905	M905 9MM SS 2" 5 RDS	7-25327-34180-2	Stainless Steel	Matte Stainless	5 RDS	9MM LUGER	DA/SA	6.5 in.	1.40 in.	4.40 in.	21.00 oz	2.00 in.	Fixed / Fixed	Hammer	423.47
Taurus [®] 605																
2-605021	Taurus [®] 605	M605 .357MAG BK 2" 5 RDS	7-25327-20301-8	Alloy Steel	Matte Black	5 RDS	357 MAG / 38 SPECIAL +P	DA/SA	6.5 in.	1.40 in.	4.40 in.	24.00 oz	2.00 in.	Fixed / Fixed	Hammer	388.57
2-605021PLY	Taurus [®] 605 Poly	M605 POLY PROTECTOR .357MAG BK/BK 2" 5 RDS	7-25327-60968-1	Alloy Steel	Matte Black	5 RDS	357 MAG / 38 SPECIAL +P	DA/SA	6.7 in.	1.40 in.	4.50 in.	20.00 oz	2.00 in.	Fixed / Fixed	Hammer	396.90
2-605029	Taurus [®] 605	M605 .357MAG SS 2" 5 RDS	7-25327-20302-5	Stainless Steel	Matte Stainless	5 RDS	357 MAG / 38 SPECIAL +P	DA/SA	6.5 in.	1.40 in.	4.40 in.	24.00 oz	2.00 in.	Fixed / Fixed	Hammer	405.92
2-605029PLY	Taurus® 605 Poly	M605 POLY PROTECTOR .357MAG BK/SS 2" 5 RDS	7-25327-60969-8	Stainless Steel	Matte Stainless	5 RDS	357 MAG / 38 SPECIAL +P	DA/SA	6.7 in.	1.40 in.	4.50 in.	20.00 oz	2.00 in.	Fixed / Fixed	Hammer	414.25
Taurus [®] 942																
2-942021	Taurus [®] 942	942 22 LR BK/BK 2'' 8 RDS	7-25327-61828-7	Stainless Steel	Matte Stainless	8 RDS	22 LR	DA/SA	6.60 in.	1.34 in.	4.64 in.	23.60 oz	2.00 in.	Serrated Ramp / Adjustable	Hammer	406.47
2-942021UL	Taurus [®] 942	942 22 LR BK/BK UL 2'' 8 RDS	7-25327-61855-3	Stainless Steel	Matte Stainless	8 RDS	22 LR	DA/SA	6.60 in.	1.34 in.	4.64 in.	23.60 oz	2.00 in.	Serrated Ramp / Adjustable	Hammer	406.47
2-942029	Taurus® 942	942 22 LR SS/SS 2" 8 RDS	7-25327-61856-0	Alloy Steel	Matte Black Oxide	8 RDS	22 LR	DA/SA	6.60 in.	1.34 in.	4.64 in.	23.60 oz	2.00 in.	Serrated Ramp / Adjustable	Hammer	423.47
2-942029UL	Taurus® 942	942 22 LR SS/SS UL 2'' 8 RDS	7-25327-61857-7	Stainless Steel	Matte Stainless	8 RDS	22 LR	DA/SA	6.60 in.	1.34 in.	4.64 in.	23.60 oz	2.00 in.	Serrated Ramp / Adjustable	Hammer	423.47
2-942031	Taurus [®] 942	942 22 LR BK/BK 3" 8 RDS	7-25327-61871-3	Alloy Steel	Matte Black Oxide	8 RDS	22 LR	DA/SA	6.60 in.	1.34 in.	4.64 in.	23.60 oz	2.00 in.	Serrated Ramp / Adjustable	Hammer	406.47
2-942031UL	Taurus® 942	942 22 LR BK/BK UL 3'' 8 RDS	7-25327-61873-7	Stainless Steel	Matte Stainless	8 RDS	22 LR	DA/SA	6.60 in.	1.34 in.	4.64 in.	23.60 oz	2.00 in.	Serrated Ramp / Adjustable	Hammer	406.47
2-942039	Taurus [®] 942	942 22 LR SS/SS 3" 8 RDS	7-25327-61872-0	Alloy Steel	Matte Black Oxide	8 RDS	22 LR	DA/SA	6.60 in.	1.34 in.	4.64 in.	23.60 oz	2.00 in.	Serrated Ramp / Adjustable	Hammer	423.47
2-942039UL	Taurus [®] 942	942 22 LR SS/SS UL 3" 8 RDS	7-25327-61874-4	Stainless Steel	Matte Stainless	8 RDS	22 LR	DA/SA	6.60 in.	1.34 in.	4.64 in.	23.60 oz	2.00 in.	Serrated Ramp / Adjustable	Hammer	423.47
2-942M021	Taurus® 942	942 22 WMR BK/BK 2" 8 RDS	7-25327-61858-4	Alloy Steel	Matte Black Oxide	8 RDS	22 WMR	DA/SA	6.60 in.	1.34 in.	4.64 in.	23.60 oz	2.00 in.	Serrated Ramp / Adjustable	Hammer	406.47
2-942M021UL	Taurus® 942	942 22 WMR BK/BK UL 2'' 8 RDS	7-25327-61859-1	Stainless Steel	Matte Stainless	8 RDS	22 WMR	DA/SA	6.60 in.	1.34 in.	4.64 in.	23.60 oz	2.00 in.	Serrated Ramp / Adjustable	Hammer	406.47
2-942M029	Taurus® 942	942 22 WMR SS/SS 2" 8 RDS	7-25327-61860-7	Alloy Steel	Matte Black Oxide	8 RDS	22 WMR	DA/SA	6.60 in.	1.34 in.	4.64 in.	23.60 oz	2.00 in.	Serrated Ramp / Adjustable	Hammer	423.47
2-942M029UL	Taurus® 942	942 22 WMR SS/SS UL 2'' 8 RDS	7-25327-61861-4	Stainless Steel	Matte Stainless	8 RDS	22 WMR	DA/SA	6.60 in.	1.34 in.	4.64 in.	23.60 oz	2.00 in.	Serrated Ramp / Adjustable	Hammer	423.47
2-942M031	Taurus® 942	942 22 WMR BK/BK 3'' 8 RDS	7-25327-61867-6	Alloy Steel	Matte Black Oxide	8 RDS	22 WMR	DA/SA	6.60 in.	1.34 in.	4.64 in.	23.60 oz	2.00 in.	Serrated Ramp / Adjustable	Hammer	406.47
2-942M031UL	Taurus® 942	942 22 WMR BK/BK UL 3'' 8 RDS	7-25327-61869-0	Stainless Steel	Matte Stainless	8 RDS	22 WMR	DA/SA	6.60 in.	1.34 in.	4.64 in.	23.60 oz	2.00 in.	Serrated Ramp / Adjustable	Hammer	406.47
2-942M039	Taurus® 942	942 22 WMR SS/SS 3" 8 RDS	7-25327-61868-3	Stainless Steel	Matte Stainless	8 RDS	22 WMR	DA/SA	6.60 in.	1.34 in.	4.64 in.	23.60 oz	2.00 in.	Serrated Ramp / Adjustable	Hammer	423.47
2-942M039UL	Taurus [®] 942	942 22 WMR SS/SS UL 3" 8 RDS	7-25327-61870-6	Stainless Steel	Matte Stainless	8 RDS	22 WMR	DA/SA	6.60 in.	1.34 in.	4.64 in.	23.60 oz	2.00 in.	Serrated Ramp / Adjustable	Hammer	423.47



MAGAZINES

Item Number	UPC	Description	2021 MSRP
358-0004-01	7-25327-90109-9	6-Round .380 Auto Magazine for Spectrum, Black	\$22
358-0005-01	7-25327-90115-0	12-Round 9mm Magazine for G2C	\$36
358-0005-02	7-25327-90116-7	10-Round 9mm Magazine for G2C	\$36
358-0006-01	7-25327-90117-4	10-Round .40 S&W Magazine for G2C	\$36
358-0007-01	7-25327-90118-1	7-Round 9mm Magazine for G2S	\$36
358-0008-01	7-25327-90119-8	6-Round .40 S&W Magazine for G2S	\$36
358-0009-01	7-25327-90120-4	17-Round 9mm Magazine for TH	\$36
358-0009-02	7-25327-90121-1	10-Round 9mm Magazine for TH	\$36
358-0010-01	7-25327-90122-8	15-Round .40 S&W Magazine for TH	\$36
358-0012-01	7-25327-90127-3	11-Round .40 S&W Magazine for THC	\$36
358-0012-02	7-25327-90128-0	10-Round .40 S&W Magazine for THC	\$36
358-0013-01	7-25327-90129-7	8-Round .45 Auto Magazine for 1911 Full & Commander	\$36
358-0014-01	7-25327-90130-3	6-Round .45 Auto Magazine for 1911 Officer	\$36
358-0017-01	7-25327-90138-9	16-Round Magazine for TX22	\$22
358-0017-02	7-25327-90139-6	10-Round Magazine for TX22	\$22
358-0021-00	7-25327-90149-5	Magazine G3 9mm 15 RDS	\$36
358-0021-01	7-25327-90150-1	Magazine G3 9mm 17 RDS	\$36
358-0021-02	7-25327-90151-8	Magazine G3 9mm 10 RDS	\$36
358-0023-00	7-25327-90158-7	Magazine G3c 9mm 12 RDS	\$36
358-0023-01	7-25327-90159-4	Magazine G3c 9mm 10 RDS	\$36
358-0025-00	7-25327-93534-6	Magazine GX4 9mm 10 RDS	\$36
358-0025-01	7-25327-93535-3	Magazine GX4 9mm 11 RDS	\$36
358-0025-02	7-25327-93536-0	Magazine GX4 9mm 11 RDS with pinky extension	\$36
358-0025-03	7-25327-93537-7	Magazine GX4 9mm 13 RDS	\$36
5-11091-17	7-25327-60025-1	17-Round PT-92/99 Magazine	\$36
5-11221	7-25327-51221-9	8-Round PT-22 Magazine	\$22
5-11221PLY	7-25327-61030-4	8-Round PT-22 Magazine .22LR for Poly Model	\$22

STELLAR CLIPS

Item Number	UPC	Description	2021 MSRP
5-0009	7-25327-34189-5	Five pack (5) Stellar 9mm Full-moon clips	\$9
5-0380	7-25327-61058-8	Five pack (5) Stellar .380 Auto Full-moon clips	\$9
358-0015-00	7-25327-90131-0	Five pack (5) Stellar Revolver for 692	\$22





Award-winning Guns & Ammo TV, voted by viewers as the Best Shoot Show for four consecutive years, is one of the longest running shooting/firearms-centric shows on cable television. Co-hosted by Craig Boddington and Kyle Lamb, Guns & Ammo TV features exclusive gun, ammo, and optics range reports.



American Rifleman is the on-screen version of the National Rifle Association's American Rifleman magazine, "the world's oldest and largest firearm authority." American Rifleman is the pre-eminent source for accurate, compelling, authoritative information on all aspects of firearms and the shooting sports.



Airing on the Sportsman Channel, Handguns & Defensive Weapons combines the most popular features of two of the channel's most well-known shooting shows, Handguns and Personal Defense. It is co-hosted by Rich Nance and James Tarr and covers everything from competition and self defense to pocket guns and long distance rifles.



Everything Eichler is a closer look at the Eichler Field to Table lifestyle. They will share a combination of the daily challenges of ranching, farming and running an outfitting business in Colorado. This show will still include all of the extreme bowhunting and predator hunting action viewers love but will also include hunts with friends, family and clients.



Gallery of Guns TV brings the home shopping concept, but in this case for firearms, to the viewers. This one-of-a-kind show is designed to educate consumers on the unique features and benefits of select firearms from Davidson's GalleryofGuns.com.



With more than five million members, the National Rifle Association is America's longest-standing civil rights organization. While widely recognized today as a major political force and as America's foremost defender of Second Amendment rights, the NRA has, since its inception, been the premier firearms education organization in the world.



HAVA was conceived and organized in 2007 by a Committee of shooting sports industry executives to help the healing and re-integration of disabled veterans and injured active military. The ultimate goal is to increase their confidence and hope for the future by reconnecting with their love of the outdoors and the American traditions of hunting and firearms. WARNING concerning ammunition marked "+P" and "+P+". Taurus Firearms rated for "+P" ammunition are rated for Sporting Arms and Ammunition Manufacturers Institute (SAAMI) compliant "+P" ammunition. SAAMI does not recognize any "+P+" ammunition at all. It is DANGEROUS to fire "+P+" ammunition in any Taurus firearm and if you do so you may be seriously injured or killed.

In addition, it seems some ammunition marked "+P" is not SAAMI compliant either. There are only four calibers that can carry a "+P" rating from SAAMI. They are 38 Special +P, 9mm Luger +P, 38 Super Automatic and 45 Automatic +P. There are no other SAAMI approved "+P" loads. Any ammunition in any other caliber marked "+P" is not SAAMI compliant, may be dangerous and should not be used.

DANGER FOR "+P+"

Never use "Plus -P -Plus" (+P+) rated ammunition in any Taurus firearm. The Sporting Arms and Ammunition Manufactures Institute (SAAMI) does not recognize such ratings and such ammunition can be very dangerous. Firing such ammunition can cause catastrophic failure in firearms resulting in serious bodily injury or death.

WARNING FOR "+P"

Only fire SAAMI rated Plus P ("+P") ammunition in Taurus Models designated by Taurus for +P use as below. Firing +P ammunition in other Taurus products may be dangerous and can result in serious bodily injury or death. • 85 (most models) small frame revolver in 38 Special

- 856 small frame revolver in 38 Special
- 850 small frame revolver in 38 Special
- 851 small frame revolver in 38 Special
- 85 Polymer small frame revolver in 38 Special
- 82 medium frame revolver in 38 Special
- 817 medium frame revolver in 38 Special
- All firearms chambered in 38 Super Automatic
- All firearms chambered in 45 Automatic (ACP)
- All firearms chambered in 9mm Luger

WARNING

Even if your Taurus firearm is rated for Plus-P ("+P") ammunition, such ammunition generates pressures significantly in excess of the pressures associated with standard ammunition. Such pressures may affect the useful life of the firearm or exceed the margin of safety built into many firearms. Unless you need +P ammunition, do not use it, particularly for practice.

Taurus International Firearms[™], Taurus[®], Taurus Millennium[®], Taurus Security System[®], Raging Bull[®], Ribber Grip[®], Taurus Tracker[™], Taurus Ultra-Lite[®], Taurus Stellar Clip[™], Taurus Judge[®], Taurus Memory Pad[™], Taurus 24/7[™] G2, The Judge[®], Judge Public Defender[®], Raging Judge[®], Curve[®], Everyday Gun[™], Taurus 1911[™], CIA[™], Unlimited Lifetime Repair Policy[™], Taurus Spectrum[®], Taurus T4SA[™], and all respective logos depicted in this catalog are the trademarks of Forjas Taurus, S.A. or Taurus International Manufacturing, Inc.

The products herein are subject to export control regulations in relevant countries, including, but not limited to, the International Traffic in Arms Regulation, 22 U.S.C. 2778 of the Arms Export Control Act and Executive Order 13637.

Specifications are subject to change without notice. All photographs, descriptions and other information in this catalog are purely indicative. Products may vary from those depicted, and Taurus reserves the right to modify, change or discontinue products, pricing or features at any time without prior notice.

© Copyright Taurus International Manufacturing, Inc. 2021. All rights reserved.

WARNING: The products in this catalog can expose you to chemicals which are known to the State of California to cause cancer, birth defects or other reproductive harm. For more information, go to www.p65warnings.ca.gov.



For complete terms and conditions, visit: warranty.taurususa.com

2021 Product Catalog



TaurusUSA.com